

KODAK Scanners Alaris Scanners

Supplies & Consumables



Contents

Supplies and Consumables for KODAK Scanners	1
Quick Reference — Lamps	2
General Consumables for ALL KODAK Scanners.....	3
Higher Volume Scanners	4
Links to higher volume current scanners	4
Links to higher volume discontinued scanners.....	4
Links to consumables kit guidance	4
Kodak S5160, S5180, S5210 Scanners.....	5
Kodak i5200, i5200V, i5250, i5250V, i5600, i5600V, i5650, i5650S, i5650V, i5800, i5850S Scanners	7
Kodak i4200, i4250, i4600, i4650, i4850 Scanners	9
Kodak Ngenuity 9000 Series Scanners	11
Copican 8000 Series Scanners	12
Kodak i1800 Series Scanners	13
Kodak i800 Series Scanners	14
Kodak i700 Series Scanners	15
Kodak i600 Series Scanners	16
Feed Module/Separation Roller Guidelines for the i600/i700/i1800/i4000/i4x50/i5000/i5x50 Series Scanners Consumables Kits	18
Spectrum Series Scanners	19
Lower Volume Scanners	20
Links to lower volume current scanners.....	20
Links to lower volume discontinued scanners	20
Links to consumables kit guidance	20
Kodak S2085f, S3060, S3060f, S3100, S3100f, S3120, S3120 Max, S3140 Max Scanners.....	21
Kodak i3200, i3250, i3300, i3400, i3450, i3500 Scanners.....	23
Kodak i2900 Scanner.....	24
Feed Module/Separation Roller Module Guidelines for the S2085f/S3000/i2900/i3XXX Scanners Consumables Kits	25
Kodak S2040, S2050, S2060w, S2070, S2080w Scanners.....	26
Feed Roller Assembly/Separation Roller Assembly/Pre-Separation Pad/ Urging Roller Tire/Separation Roller Tire Guidelines for the S2000 Series Scanners	27
Kodak E1025 and E1035 Scanners	28
Kodak E1030 and E1040 Scanners.....	29
Separation Roller Assembly/Pre-Separation Pad/Urging Roller Tire/ Separation Roller Tire Guidelines for the E1000 Series Scanners	30
Kodak i1150, i1180, i1190, i1190E Scanners.....	31
Kodak i1150WN and i1190WN Scanners.....	31
Kodak ScanMate i940 Scanner	32
Kodak i2400, i2600, i2800, i2420, i2620, i2820 Scanners.....	33
Kodak Trüper 3210 and 3610 Scanners	34
Kodak i1400 Series Scanners	35
Kodak i1200/i1300 and 1220 Plus/1320 Plus Series Scanners	36
Kodak ScanMate i1120 Scanner	37
Kodak ScanMate i920 Scanner	37

Kodak i200 Series Scanners	38
Kodak i100 Series Scanners	39
Scan Stations	40
Links to current Scan Station models	40
Links to discontinued Scan Station models	40
Link to consumables kit guidance	40
Kodak Scan Station 700/710/720EX/730EX	41
Kodak Scan Station 500/520EX	42
Picture Saver Scanning Systems	43
Link to consumables kit guidance	43
Kodak Picture Saver Scanning System / PS400/PS800/PS50/PS80/PS55/PS450/s1220	43
Feed Module/Separation Roller Module Guidelines for the Scan Station 500/700, s1220 Photo Scanner, PS400 / PS800 / PS450 / PS50 / PS55 / PS80 Scanners, i2400, i2600, i2800, i2420, i2620, i2820 Scanners, and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits	44
Kodak Digital Science Scanners.....	45
Links to Kodak Digital Science scanners	45
Kodak Digital Science Document Scanner 9520/9500	46
Kodak Digital Science Document Scanner 7520/7500	47
Kodak Digital Science Color Scanner 4500	48
Kodak Digital Science Color Scanner 3590C.....	49
Kodak Digital Science 3500, 3510, 3520 Scanners	50
Imagelink Scanner/Microimager	51
Kodak Imagelink Scanner/Microimager 990.....	51

Tables

Lamps Table	2
Consumables Table 1	18
Consumables Table 2	25
Consumables Table 3	27
Consumables Table 4	27
Consumables Table 5	27
Consumables Table 6	30
Consumables Table 7	30
Consumables Table 8	44

Supplies and Consumables for *KODAK* Scanners

Kodak Alaris offers supplies and consumables for all *KODAK* Scanners. For optimal feeder performance and image quality, Kodak Alaris recommends using professional cleaning materials and consumable items, such as:

- Roller cleaning pads
- Transport cleaning sheets
- Staticide wipes
- Calibration targets
- Feeder and Separation rollers
- Lamps
- Ink cartridges
- Imaging guides



Usage figures of supplies and consumables are not guaranteed. Customer operating environments, document type, the condition of the documents being scanned, and not following the recommended cleaning and replacement procedures can cause the life of the consumables to vary.

This document contains catalog numbers and descriptions for supplies and consumables used with *KODAK* Scanners. The guidelines specified in this document are based on testing by Kodak Alaris.

- **Calibration Target:** a calibration target will last longer if the recommended maintenance of the scanner is followed. Variables such as paper types (e.g. carbonless paper), dirty feed rollers, which can transfer debris on the target, etc. will shorten the usage of the calibration target. Always clean your scanner before calibrating.
- **Imaging Guides:** imaging guides may need to be replaced if you notice degrading image quality or if something happens to the white patch on the imaging guide.
 - Degrading image quality: (e.g. a consistent streak in most/all images that does not disappear after cleaning the imaging guides). Visually inspect the imaging guides to see if they are heavily scratched. If so, the imaging guides may need to be replaced.
 - White patch: White patches are not on all imaging guides. The i800, i1800, i700, i600, i1400, i200, i100, 4500, 3590C Scanners and 5000/7000 Series Scanners include a white patch. Visually inspect the white patch and look for signs of aging (discoloration of the patch). If the patch shows discoloration, replace the imaging guide or call Service.
- **Tires:** *KODAK* Scanners use replaceable tires that can feed a wide range of document types, sizes and thicknesses. Tire life and performance will vary based on the customer's document set, frequency of cleaning the transport and tires, and following the recommended schedule for changing tires. You should change the tires if you notice an increase in multiple feeds or stoppages, or a decrease in feeder performance that is not resolved by following the cleaning procedures.

For more information on how to buy these products by country, please visit our website.

Please fill out the Contact Us form and we will be happy to assist you:

<https://www.kodakalaris.com/contact-us>

Quick Reference — Lamps

The following chart provides a quick reference of the imaging lamps provided by Kodak Alaris Inc. and the scanners these consumables are used with. It is suggested that all lamps be replaced every 500 hours of operation or as necessary (e.g. as reported by the scanner, repeated image calibration failures, etc.)

NOTE: Only the scanners listed below have customer-replaceable lamps. Contact Service for all other scanners.




Lamps Table

Lamps										
CAT No.	Description	500	3500	3520	3590C	4500	5000	7500	7520	i800
8766545	White Imaging Lamp	√	√	√	√	√	√	√	√	√

General Consumables for ALL **KODAK** Scanners

The consumables listed below are for use with all **KODAK** Scanners except as noted.

Please see individual scanners for consumables and accessories specific to your model.

CAT No.	Description
1002716 	KODAK Roller Cleaning Pads Includes: 24 per package Usage: approximately one pad per day or more frequently if required.
1690783 	KODAK Transport Cleaning Sheets Includes: 50 sheets per package Usage: 2 to 4 sheets per 8-hour shift/machine.
8965519 	Staticide Wipes / for KODAK Scanners Includes: 6 boxes of 24 Usage: approximately 1 per day. NOTE: Staticide Wipes are not for use with the <i>KODAK</i> Picture Saver Scanning System / PS400/PS800/PS50/PS55/PS80; <i>KODAK</i> Picture Saver Scanning System PS450 or the <i>KODAK</i> s1220 Photo Scanning System.
8019622	Brilliance Glass Cleaner for KODAK Scanners Includes: 1- 8oz. Bottle of Brilliance Glass Cleaner Usage: This cleaning solution should not be applied to the scanner directly. Please spray a lint free cloth and then use it to wipe down the imaging guides as needed. It should not be used on the feeding or transport rollers. <i>This item replaces Item #8266488</i>

Higher Volume Scanners

Links to higher volume *current* scanners

[“Kodak S5160, S5180, S5210 Scanners” on page 5](#)

[“Kodak i5200, i5200V, i5250, i5250V, i5600, i5600V, i5650, i5650S, i5650V, i5800, i5850S Scanners” on page 7](#)

[“Kodak i4200, i4250, i4600, i4650, i4850 Scanners” on page 9](#)

Links to higher volume *discontinued* scanners

[“Kodak Ngenuity 9000 Series Scanners” on page 11](#)

[“Copiscan 8000 Series Scanners” on page 12](#)

[“Kodak i1800 Series Scanners” on page 13](#)

[“Kodak i800 Series Scanners” on page 14](#)

[“Kodak i700 Series Scanners” on page 15](#)

[“Kodak i600 Series Scanners” on page 16](#)

[“Spectrum Series Scanners” on page 19](#)

[“General Consumables for ALL KODAK Scanners” on page 3](#)

Links to consumables kit guidance

[“Feed Module/Separation Roller Guidelines for the i600/i700/i1800/i4000/i4x50/i5000/i5x50 Series Scanners Consumables Kits” on page 18](#)










Kodak S5160, S5180, S5210 Scanners


CAT No.	Description
8327538  <i>Also available in Extra Large size</i> 8387938 <i>Also available in Extra-Extra Large size</i> 1462415	<p>Kodak Consumables Kit for the S5000 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Consumable Kit for the S5000 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit for the S5160/S5180 Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p>
8445280 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper for S5000 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents. This kit supports a paper weight range of 25 g/m²</p>
1650621 	<p>Rear Exit Tray Accessory for S5160/S5180 Scanners Includes: 1 tray assembly with locking knob, 2 side guides Usage: for collecting scanned documents sent to rear scanner exit. Accommodates documents up to 35.6 cm (14 in.).</p>
8019242 	<p>Kodak Enhanced Printer Accessory for S5000 Scanners Includes: 1 upper imaging guide, 1 upper flippable background accessory, 2 enhanced printer carriers, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.</p>
8183386 	<p>Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
1763218 	<p>Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.</p>
1257633 	<p>Kodak Printer Ink Blotters, Front Side for S5000 Series Scanners Includes: 90 pads (3 sets of 30) Usage: replace when there is a build-up of ink.</p>







<p>1015817</p> 	<p>Kodak Carrier Sleeves (5 pack) Includes: 5 transparent carrier sleeves Usage: for scanning large (folded) pages, fragile pages, or very small items.</p>
<p>1894351</p> 	<p>Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).</p>
<p>8019234</p> 	<p>Manual Feed Shelf for the S5210 Scanner Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.</p>
<p>1673953</p> 	<p>Manual Feed Shelf for the S5160 and S5180 Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.</p>
<p>1612605</p> 	<p>Lower/Upper Flippable White Background for S5000 Scanners Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>
<p>8714438</p> 	<p>Kodak Imaging Guide Set for S5000 Series Scanners Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>



Kodak i5200, i5200V, i5250, i5250V, i5600, i5600V, i5650, i5650S, i5650V, i5800, i5850S Scanners

CAT No.	Description
8327538  Also available in Extra Large size 8387938 Also available in Extra-Extra Large size 1462415	<p>Kodak Feeder Consumables Kit for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit for i4000/i5000 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit for i4000/i5000 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p>
8445280 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents. This kit supports a paper weight range of 25 g/m² to 80 g/m² kg (7 to 20 lbs).</p>
8714438 	<p>Kodak Imaging Guide Set for i4xxx/i5xxx Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>
8000853 	<p>Lower/Upper Flippable White Background for i4x00/i5x00 Scanners Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>
1612605 	<p>Lower/Upper Flippable White Background i5x50 Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>
8014755 	<p>Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches. NOTE: Also for use in i5000/i5x50 Series Scanners as transport spacer.</p>
1213743 	<p>Enhanced Printer Accessory for i5x50 and i5x50V Series Scanners (Front and Rear) Includes: 1 upper imaging guide, 1 upper flippable background accessory, 2 Enhanced Printer carriers, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.</p>









<p>1408756</p> 	<p>Kodak Enhanced Printer Accessory for i5x00 and i5x00V Series Scanners (Front printer only) Includes: 1 upper imaging guide, 1 upper flippable background accessory, 2 Enhanced Printer carriers, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.</p>
--	--




CAT No.	Description
<p>1257633</p> 	<p>Kodak Printer Ink Blotters Includes: 90 blotters Usage: replace when there is a build-up of ink.</p>
<p>8183386</p> 	<p>Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
<p>1763218</p> 	<p>Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.</p>
<p>1694256</p> 	<p>Manual Feed Shelf for i5800/i5850 Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.</p>
<p>1673953</p>	<p>Manual Feed Shelf for i52X0/i56X0 Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.</p>
<p>1650621</p> 	<p>Kodak Rear Exit Tray Accessory for i5250/i5650 Model Scanners Includes: 1 tray assembly with locking knob, 2 side guides Usage: for collecting scanned documents sent to rear scanner exit. Accommodates documents up to 35.6 cm (14 in.).</p>
<p>1894351</p> 	<p>Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).</p>

* Based on font size being used.



Kodak i4200, i4250, i4600, i4650, i4850 Scanners






CAT No.	Description
8327538  Also available in Extra Large size 8387938 Also available in Extra-Extra Large size 1462415	<p>Kodak Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p>
8445280 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents. This kit supports a paper weight range of 25 g/m² to 80 g/m² kg (7 to 20 lbs).</p>
8714438 	<p>Kodak Imaging Guide Set for i4xxx/i5xxx Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>
8000853 	<p>Lower/Upper Flippable White Background for i4x00/i5x00 Scanners Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>
1612605 	<p>Lower/Upper Flippable White Background for i4x50/i5x50 Scanners Includes: 1 upper/1 lower Usage: Replace as required because of damage and/or scratches.</p>
8096943 	<p>Kodak Enhanced Printer Accessory for i4200/i4600 Scanners Includes: 1 upper imaging guide, 1 upper flippable background accessory, 1 Enhanced Printer carrier, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.</p>
1218940 	<p>Kodak Enhanced Printer Accessory for i4250/i4650/i4850 Scanners Includes: 1 upper imaging guide, 1 upper flippable background accessory, 1 Enhanced Printer carrier, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.</p>
8405425 	<p>Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.</p>

CAT No.	Description
8183386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
1133842 	Enhanced Printer for the i4xxx/i6xx/i7xx/i14xx: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.
1894351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).

* Based on font size being used.









Kodak Ngenuity 9000 Series Scanners

CAT No.	Description
1829779 	Small Roller Kit with Feeder Pre-separation Pad Includes: 1 separation roller, 18 pre-separation pads, 2 feed roller assemblies and 50 replacement tires Usage: has the potential to scan up to 3,500,000 documents.
The following roller kits are for Ngenuity Scanners with the original feeder that does not have a pre-separation pad.	
1766674 	Small Roller Kit Includes: 4 separator spacers, 2 separator rollers, 8 pick/driver tires Usage: has the potential to scan up to 1.2 million scans.
1620640 	Imaging Guide Assembly Includes: 1 imaging guide assembly Usage: replace as required because of damage and/or scratches.
1998103 	Calibration Kit Usage: see <i>calibration target usage guidelines</i> on page 1 .
8183386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.

* Based on font size being used.



Copiscan 8000 Series Scanners

CAT No.	Description
1569128 	Skimmer Assembly Kit Includes: 1 skimmer assembly Usage: has the potential to scan up to 600,000 documents.
8704801 	Roller Assembly Includes: 1 roller assembly Usage: has the potential to scan up to 600,000 documents.
8090300 	Separator Roller Kit Includes: 1 separator roller, 2 o-rings, 2 spacers Usage: approximately 6 months at 6,000 documents a day with proper daily maintenance.
1473669 	Glass Transport Includes: 1 per package Usage: replace as required because of damage and/or scratches.
8112419 	Lamp Assembly Includes: 1 per package Usage: approximately 5000 hours.
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.

* Based on font size being used.










Kodak i1800 Series Scanners

CAT No.	Description
1084755 	Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see page 17 for a guideline on how often to change consumables.
Also available in Extra Large size 8426157	Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see page 17 for a guideline on how often to change consumables.
Also available in Extra-Extra Large size 1343680	Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see page 17 for a guideline on how often to change consumables.
1976703 	Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
8014755 	Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches.
1271436 	Kodak Calibration Targets Includes: 5 targets (12- x 12-inch) Usage: see calibration target usage guidelines on page 1 .
1257633 	Kodak Printer Ink Blotters, Front Side / for i1800 Series Scanners Includes: 90 pads (3 sets of 30) Usage: replace when there is a build-up of ink.
1141472 	Kodak Printer Ink Blotters, Rear Side / for i1800 Series Scanners Includes: 60 blotters Usage: replace when there is a build-up of ink.
8183386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.










Kodak i800 Series Scanners

CAT No.	Description
1564418 	Kodak Imaging Guide Set / for i800 Series Scanners Includes: 1 upper/1 lower (plastic guides) Usage: replace as required because of damage and/or scratches.
8766545 	Kodak Digital Science White Imaging Lamp Includes: 1 per package (four lamps are required) Usage: approximately 500 hours per lamp. It is recommended that all four lamps be changed at the same time.
1491869 	Kodak Calibration Target / for i800 Series Scanners Includes: 50 targets (11- x 12-inch) Usage: see <i>calibration target usage guidelines</i> on page 1 .
1401728 	Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.
8183386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
8014755 	Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches.

* Based on font size being used.











Kodak i700 Series Scanners

CAT No.	Description
1084755  <i>Also available in Extra Large size</i> 8426157 <i>Also available in Extra-Extra Large size</i> 1343680	<p>Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p>
1976703 	<p>Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
8014755 	<p>Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches.</p>
1271436 	<p>Kodak Calibration Targets Includes: 5 targets (12- x 12-inch) Usage: see calibration target usage guidelines on page 1.</p>
8405425 	<p>Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.</p>
8183386 	<p>Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
1133842 	<p>Enhanced Printer for the i4XXX/i6XX/i7XX/i14XX: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.</p>



Kodak i600 Series Scanners

CAT No.	Description
 Also available in Extra Large size 8426157 Also available in Extra-Extra Large size 1343680	<p>Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see page 17 for a guideline on how often to change consumables.</p>
	<p>Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
	<p>Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches.</p>
	<p>Kodak Calibration Targets Includes: 5 targets (12- x 12-inch) Usage: see calibration target usage guidelines on page 1.</p>
	<p>Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.</p>
	<p>Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 8183386.</p>
	<p>Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
	<p>Enhanced Printer for the i4XXX/i6XX/i7XX/i14XX: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.</p>

* Based on font size being used.

Feed Module/Separation Roller Guidelines for the i600/i700/i1800/i4000/i4x50/i5000/i5x50 Series Scanners Consumables Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged during replacement.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the tires.








NOTE: The replacement tires are for use with the feed module and the separation roller (unless using the *Kodak* Feeder Kit for Ultra-Lightweight Paper).

Consumables Table 1

Description	Feeder Consumables Kit	Extra Large Feeder Consumables Kit	Extra Extra Large Feeder Consumables Kit	Feeder Kit for Ultra-lightweight Paper
	CAT No. 1084755 / 8327538	CAT No. 8426157 / 8387938	CAT No. 1343680 / 1462415	CAT No. 8445280
Feed Modules (4 tires)	1	5	10	1
Separation Rollers (2 tires)	1	5	10	1
Pre-Separation Pads	18	76	154	4
Replacement Tires	50	200	400	N/A
Replacement Tires for Feed Module	N/A	N/A	N/A	17
Replacement Tires for Separation Roller	N/A	N/A	N/A	10
Expected scans / kit	3,500,000	17,500,000	38,500,000	2,400,000



Spectrum Series Scanners

CAT No.	Description
1569128 	Skimmer Assembly Kit Includes: 1 skimmer assembly Usage: has the potential to scan up to 600,000 documents.
8704801 	Roller Assembly Includes: 1 roller assembly Usage: has the potential to scan up to 600,000 documents.
8090300 	Separator Roller Kit Includes: 1 separator roller, 2 o-rings, 2 spacers Usage: approximately 6 months at 6,000 documents a day with proper daily maintenance.
1473669 	Glass Transport Includes: 1 per package Usage: replace as required because of damage and/or scratches.
1289610 	Lamp Assembly Includes: 2 per package Usage: approximately 5000 hours.
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.
1651975 	Tech Wipes Includes: 10 per package Usage: as needed when cleaning the scanner.

* Based on font size being used.

Lower Volume Scanners

Links to lower volume *current* scanners

[“Kodak S2085f, S3060, S3060f, S3100, S3100f, S3120, S3120 Max, S3140 Max Scanners” on page 21](#)

[“Kodak i3200, i3250, i3300, i3400, i3450, i3500 Scanners” on page 23](#)

[“Kodak i2900 Scanner” on page 24](#)

[“Kodak S2040, S2050, S2060w, S2070, S2080w Scanners” on page 26](#)

[“Kodak E1025 and E1035 Scanners” on page 28](#)

[“Kodak E1030 and E1040 Scanners” on page 29](#)

[“Kodak ScanMate i940 Scanner” on page 32](#)

Links to lower volume *discontinued* scanners

[“Kodak i2400, i2600, i2800, i2420, i2620, i2820 Scanners” on page 33](#)

[“Kodak Trüper 3210 and 3610 Scanners” on page 34](#)

[“Kodak i1400 Series Scanners” on page 35](#)

[“Kodak i1200/i1300 and 1220 Plus/1320 Plus Series Scanners” on page 36](#)

[“Kodak ScanMate i1120 Scanner” on page 37](#)

[“Kodak ScanMate i920 Scanner” on page 37](#)

[“Kodak i200 Series Scanners” on page 38](#)

[“Kodak i1150, i1180, i1190, i1190E Scanners” on page 31](#)

[“Kodak i1150WN and i1190WN Scanners” on page 31](#)

[“Kodak i100 Series Scanners” on page 39](#)

[“General Consumables for ALL KODAK Scanners” on page 3](#)

Links to consumables kit guidance

[“Feed Module/Separation Roller Module Guidelines for the S2085f/S3000/i2900/i3XXX Scanners Consumables Kits” on page 25](#)









[“Feed Roller Assembly/Separation Roller Assembly/Pre-Separation Pad/ Urging Roller Tire/Separation Roller Tire Guidelines for the S2000 Series Scanners” on page 27](#)


[“Separation Roller Assembly/Pre-Separation Pad/Urging Roller Tire/ Separation Roller Tire Guidelines for the E1000 Series Scanners” on page 30](#)

[“Feed Module/Separation Roller Module Guidelines for the Scan Station 500/700, s1220 Photo Scanner, PS400 / PS800 / PS450 / PS50 / PS55 / PS80 Scanners, i2400, i2600, i2800, i2420, i2620, i2820 Scanners, and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits” on page 44](#)



Kodak S2085f, S3060, S3060f, S3100, S3100f, S3120, S3120 Max, S3140 Max Scanners


CAT No.	Description
<p>1428101</p>  <p>Also available in Extra Large size 8009458</p>	<p>Kodak Consumables Kit for the S2085f/S3000/i2900/i3000 Series Scanners Includes: 1 feed module, 4 replacement tires for feed module, 4 pre-separation pads, 2 separation roller modules, 4 replacement tires for separation roller module Usage: see page 23 for a guideline on how often to change consumables. NOTE: The front transport roller is no longer in this kit.</p> <p>Kodak Extra Large Consumable Kit for the S2085F/S3000/i2900/i3XXX Series Scanners Includes: 3 feed modules, 6 extra feed module urging tires, 6 extra feed module drive tires, 6 separation rollers, 12 separation roller tires, 12 pre-separation pads Usage: see page 26 for a guideline on how often to change consumables.</p>
<p>1703594</p> 	<p>Rear Exit Tray S2085f/S3000/i2900/i3000 Includes: metal tray Usage: catches documents that exit through rear of scanner.</p>
<p>1324391</p> 	<p>Printer Accessory for S2085f/S3000/i2900/i3000 Series Scanners Includes: components necessary for installing the Printer Accessory as well as 1 black ink cartridge, screwdriver and installation instructions Usage: provides an effective way to apply rear side printing at full scanner speed.</p>
<p>1015817</p> 	<p>Kodak Carrier Sleeves (5 pack) Includes: 5 transparent carrier sleeves Usage: for scanning large (folded) pages, fragile pages, or very small items.</p>
<p>1894351</p> 	<p>Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).</p>
<p>8183386</p> 	<p>Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
<p>1763218</p> 	<p>Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.</p>
<p>8017097</p> 	<p>S2085/S3120 Max FADGI Accessory Includes: DICE Target, On-site Installation and Training, and 1YR On-site service Available in US & Canada Only Additional options are available with 3 or 5 years of service (8017105, 8017113)</p>

8017121		<p>S3140 Max FADGI Accessory Includes: DICE Target, On-site Installation and Training, and 1YR On-site service Available in US & Canada Only Additional options are available with 3 or 5 years of service (8017147, 8017154)</p>
8002446		<p>Black Flatbed Background for S2085f & S3000 Scanners Includes: 1 replacement flatbed background Usage: Replace as needed due to wear or damage.</p>

* Based on font size being used.











Kodak
i3200, i3250, i3300, i3400, i3450, i3500 Scanners

CAT No.	Description
1428101 	<p>Kodak Consumables Kit for the S2085f/S3000/i2900/i3000 Series Scanners Includes: 1 feed module, 4 replacement tires for feed module, 4 pre-separation pads, 2 separation roller modules, 4 replacement tires for separation roller module Usage: see page 23 for a guideline on how often to change consumables. NOTE: The front transport roller is no longer in this kit.</p>
1364421 	<p>Black Background for the i2900 and i3000 Series Scanners Includes: 2 background strips Usage: replace as required because of damage and/or scratches.</p>
1324391 	<p>Printer Accessory for S2085f/S3000/i2900/i3000 Series Scanners Includes: components necessary for installing the Printer Accessory as well as 1 black ink cartridge, screwdriver and installation instructions Usage: provides an effective way to apply rear side printing at full scanner speed.</p>
8183386 	<p>Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
1763218 	<p>Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.</p>
1703594 	<p>i3000 Rear Output Tray Accessory for S2085f/S3000/i2900/i3000 Includes: metal tray Usage: catches documents that exit through rear of scanner.</p>
1894351 	<p>Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).</p>
5K3045 	<p>Front Transport Roller for the i2900 and i3000 Series Scanners To order this part in the US, call 1-800-431-7278. In other countries, please call your regional contact for consumables.</p>

* Based on font size being used.



Kodak i2900 Scanner

CAT No.	Description
1428101 	Kodak Consumables Kit for the i2900 and i3000 Series Scanners Includes: 1 feed module, 4 replacement tires for feed module, 4 pre-separation pads, 2 separation roller modules, 4 replacement tires for separation roller module Usage: see page 23 for a guideline on how often to change consumables.
1364421 	Black Background for the i2900 and i3000 Series Scanners Includes: 2 background strips Usage: replace as required because of damage and/or scratches.
1763325 	Flatbed Background for the i2900 Series Scanner Usage: Replace when background shows signs of wear or becomes dirty.
1324391 	Printer Accessory for i2900/i3XXX Series Scanners Includes: components necessary for installing the Printer Accessory as well as 1 black ink cartridge, screwdriver and installation instructions Usage: provides an effective way to apply rear side printing at full scanner speed.
8183386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.
1894351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).
5K3045 	Front Transport Roller for the i2900 and i3000 Series Scanners To order this part, in the US call 1-800-431-7278. In other countries, please call your regional contact for consumables.

* Based on font size being used.

Feed Module/Separation Roller Module Guidelines for the S2085f/S3000/i2900/i3XXX Scanners Consumables Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires.









- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. The Regular Feeder Consumable Kit is expected to support up to 1,000,000 scans and the Extra Large Feeder Consumable Kit up to 3,000,000 scans. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 2nd tire change. Install a new feed module and separation roller module at the same time.
- **Pre-separation Pad:** change each time you change the tires.

Consumables Table 2

Feeder Consumables Kit	Regular Quantity in Kit	Extra Large Quantity in Kit	Replace every
	CAT No. 1428101	CAT No. 8009458	
Feed Module	1	3	1,000,000
Feed Tires	2	6	500,000
Urging Tires	2	6	500,000
Separation Roller Module	2	6	500,000
Separation Tires	4	12	250,000
Pre-Separation Pads	4	12	250,000
Expected scans / kit	1,000,000	3,000,000	



Kodak S2040, S2050, S2060w, S2070, S2080w Scanners

CAT No.	Description
1015866 	<p>Kodak S2050/S2070/S2060w/S2080w Feed Roller Kit</p> <p>Includes: 3 pre-separation pads, 1 separation roller assembly, 6 separation roller tires, 3 urging roller tires, 3 feed roller assemblies</p> <p>Usage: see page 25 for a guideline on how often to change consumables.</p>
1025147 	<p>Kodak S2040/E1030/E1040 Feed Roller Kit</p> <p>Includes: 1 pre-separation pad, 1 separation roller assembly, 1 urging roller tire, 1 feed roller assembly</p> <p>Usage: see page 28 for a guideline on how often to change consumables.</p>
1016062 	<p>Kodak E1000/S2000 Series Stacking Deflector Accessory</p> <p>Includes: 1 stacking deflector accessory and 2 tilt stand legs for any model S2000 scanner with instructions in English</p> <p>Usage: Stacking Deflector improves output page stacking when scanning pages of different lengths. Tilt stand legs improve the output of long pages.</p>
1015817 	<p>Kodak Carrier Sleeves (5 pack)</p> <p>Includes: 5 transparent carrier sleeves</p> <p>Usage: for scanning large (folded) pages, fragile pages, or very small items.</p>
1894351 	<p>Kodak A3 Flatbed Accessory</p> <p>Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply</p> <p>Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).</p> <p>NOTE: S2040 does not support the A3 Flatbed Accessory.</p>
1029792 	<p>Kodak Passport Flatbed Accessory (with cover as a black background)</p> <p>Includes: Flatbed sized for scanning passports with attached 0.3 meter (1-ft.) power pigtail, and 2 separate USB cables {0.3 meter (1-ft.) and 1.2 meter (4 ft.)}</p> <p>Usage: for scanning passports or similar size pages that cannot be fed through the scanner. For use with only E1000 and S2000 model scanners.</p>
1015791 	<p>Kodak Integrated A4/Legal Size Flatbed Accessory</p> <p>Includes: A4/legal size flatbed with black background attached 0.3 meter (1-ft.) power pigtail, and 2 separate USB cables {0.3 meter (1-ft.) and 1.2 meter (4 ft.)}</p> <p>Usage: for scanning pages up to A4/legal size that cannot be fed through the scanner. For use with only E1000 and S2000 model scanners.</p>
8009227 	<p>Kodak S2000 Series Consumable Kit for Glossy Paper</p> <p>Includes: 1 pre-separation pad, 1 separation roller assembly, and 2 separation roller tires</p> <p>Usage: see page 25 for a guideline on how often to change consumables.</p>

Feed Roller Assembly/Separation Roller Assembly/Pre-Separation Pad/ Urging Roller Tire/Separation Roller Tire Guidelines for the S2000 Series Scanners

The following table provides a guideline of how often to change the feed roller assembly, separation roller assembly, pre-separation pad, and tires.

- **Feed roller kit and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Each Feed Roller Kit is expected to support up to 600,000 scans. Each set of separation roller tires is expected to support up to 150,000 scans. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.
- It is recommended that you install a new feed roller assembly and separation roller assembly at the same time, approximately every 3rd tire change. Install the new pre-separation pad and urging roller tire when you change the feed roller and separation roller assemblies.

Consumables Table 3

S2050/S2070/S2060w/S2080w Feed Roller Kit CAT No. 1015866	Quantity in Kit	Replace every
Feed Roller Assembly	3	200,000
Pre-Separation Pad	3	200,000
Urging Roller Tire	3	200,000
Separation Roller Assembly (includes a set of 2 tires)	1	Roller = 200,000 Tire Set = 150,000
Separation Roller spare tires	6	150,000
Expected scans / kit	600,000	

Consumables Table 4





S2040/E1030/E1040 Feed Roller Kit CAT No. 1025147	Quantity in Kit	Replace every
Feed Roller Assembly	1	200,000
Separation Roller Assembly	1	200,000
Pre-Separation Pad	1	200,000
Urging Roller Tire	1	200,000
Expected scans / kit	200,000	

Consumables Table 5

S2000 Consumables for Glossy Paper CAT No. 8009227	Quantity in Kit	Replace every
Separation Roller Assembly	1	200,000
Pre-Separation Pad	1	200,000
Separator Roller Tire	2	100,000
Expected scans / kit	200,000	







Kodak E1025 and E1035 Scanners

<p>1025162</p> 	<p>Kodak E1025/E1035 Feeder Kit Includes: 1 pre-separation pad, 1 separation roller assembly, 1 urging roller tire, 2 feed roller tires Usage: see page 28 for a guideline on how often to change consumables.</p>
<p>1016062</p> 	<p>Kodak E1000/S2000 Series Stacking Deflector Accessory Includes: 1 stacking deflector accessory and 2 tilt stand legs for any model E1000 or S2000 scanner and instructions in English Usage: Stacking Deflector improves output page stacking when scanning pages of different lengths. Tilt stand legs improve the output of long pages.</p>
<p>1029792</p> 	<p>Kodak Passport Flatbed Accessory (with cover) Includes: Flatbed sized for scanning passports with attached 0.3 meter (1-ft.) power pigtail, and 2 separate USB cables {0.3 meter (1-ft.) and 1.5 meter (5 ft.)} Usage: for scanning passports or similar size pages that can not be fed through the scanner. For use with only E1000 and S2000 model scanners.</p>
<p>1015791</p> 	<p>Kodak Integrated A4/Legal Size Flatbed Accessory Includes: A4/legal size flatbed with attached 0.3 meter (1-ft.) power pigtail, and 2 separate USB cables {0.3 meter (1-ft.) and 1.5 meter (5 ft.)} Usage: for scanning pages up to A4/legal size that cannot be fed through the scanner. For use with only E1000 and S2000 model scanners.</p>



Kodak E1030 and E1040 Scanners

<p>1025147</p> 	<p>Kodak S2040/E1030/E1040 Feed Roller Kit Includes: 1 pre-separation pad, 1 separation roller assembly, 1 urging roller tire, 2 feed roller tires Usage: see page 28 for a guideline on how often to change consumables.</p>
<p>1016062</p> 	<p>Kodak E1000/S2000 Series Stacking Deflector Accessory Includes: 1 stacking deflector accessory and 2 tilt stand legs for any model E1000 or S2000 scanner with instructions in English Usage: Stacking Deflector improves output page stacking when scanning pages of different lengths. Tilt stand legs improve the output of long pages.</p>
<p>1029792</p> 	<p>Kodak Passport Flatbed Accessory (with cover) Includes: Flatbed sized for scanning passports with attached 0.3 meter (1-ft.) power pigtail, and 2 separate USB cables {0.3 meter (1-ft.) and 1.5 meter (5 ft.)} Usage: for scanning passports or similar size pages that can not be fed through the scanner. For use with only E1000 and S2000 model scanners.</p>
<p>1015791</p> 	<p>Kodak Integrated A4/Legal Size Flatbed Accessory Includes: A4/legal size flatbed with attached 0.3 meter (1-ft.) power pigtail, and 2 separate USB cables {0.3 meter (1-ft.) and 1.5 meter (5 ft.)} Usage: for scanning pages up to A4/legal size that can not be fed through the scanner. For use with only E1000 and S2000 model scanners.</p>

Separation Roller Assembly/Pre-Separation Pad/Urging Roller Tire/ Separation Roller Tire Guidelines for the E1000 Series Scanners

The following table provides a guideline of how often to change the separation roller assembly, pre-separation pad, and tires.

- **Feed roller kit and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Each Feed Roller Kit is expected to support up to 200,000 scans. Each set of separation roller tires is expected to support up to 200,000 scans. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.

Consumables Table 6




E1025/E1035 Feeder Kit CAT No. 1025162	Quantity in Kit	Replace every
Separation Roller Assembly	1	200,000
Pre-Separation Pad	1	200,000
Urging Roller Tire	1	200,000
Feed Roller Tires	2	200,000
Expected scans / kit	200,000	

Consumables Table 7

S2040/E1030/E1040 Feed Roller Kit CAT No. 1025147	Quantity in Kit	Replace every
Feed Roller Assembly	1	200,000
Separation Roller Assembly	1	200,000
Pre-Separation Pad	1	200,000
Urging Roller Tire	1	200,000
Expected scans / kit	200,000	





Kodak i1150, i1180, i1190, i1190E Scanners

CAT No.	Description
1756360 	Kodak i11xx Scanner Consumable Kit Includes: 1 separation roller, 1 pre-separation pad, 3 tires Usage: the feed roller kit has the potential to scan up to 200,000 pages.
1316264 	Kodak i11xx NCR Paper Feeding Consumables Includes: 1 separation roller, 1 pre-separation pad, 3 tires Usage: the feed roller kit has the potential to scan up to 200,000 pages.
1894351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).





Kodak i1150WN and i1190WN Scanners

CAT No.	Description
1756360 	Kodak i11xx Scanner Consumable Kit Includes: 1 separation roller, 1 pre-separation pad, 3 tires Usage: the feed roller kit has the potential to scan up to 200,000 pages.
1316264 	Kodak i11xx NCR Paper Feeding Consumables Includes: 1 separation roller, 1 pre-separation pad, 3 tires Usage: the feed roller kit has the potential to scan up to 200,000 pages.







Kodak ScanMate i940 Scanner

CAT No.	Description
8467839 	Kodak Feed Module Assembly Includes: one feed module Usage: the feed module has the potential to scan up to 20,000 pages.
1775246 	Kodak Separation Module Assembly Includes: one separation module Usage: the separation module has the potential to scan up to 20,000 pages.







Kodak i2400, i2600, i2800, i2420, i2620, i2820 Scanners

CAT No.	Description
1484864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: see page 43 for a guideline on how often to change consumables. These tires are for use on the feed module and separation module.
8269607 	Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
1736115 	Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.
1894351 	Kodak A3 Flatbed Accessory Kodak: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).









Kodak Trüper 3210 and 3610 Scanners

CAT No.	Description
8460321 	Roller Exchange Kit Includes: 1 feed roller module, 1 separation roller module Usage: this kit has the potential to scan up to 300,000 documents.
1535376 	Shading Paper Includes: 10 sheets Usage: used for calibrating the scanner.
8183386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
1244847 	Memory Upgrade Kit (512 MB) Usage: for scanning job that may require additional memory depending on variables such as the size of the documents you are scanning and the desired image resolution.

* Based on height/width being used.






Kodak i1400 Series Scanners

CAT No.	Description
1241066 	Kodak Feeder Consumables Kit for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: see page 43 for a guideline on how often to change consumables.
1978253 	Kodak Imaging Guide Set for i1400 Series Scanners Kodak: 1 upper guide, 1 lower guide Usage: replace when damaged or scratched.
8405425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 8183386.
8183386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
1133842 	Enhanced Printer for the i4xxx/i6xx/i7xx/i14xx: Ink Cartridge Carrier Usage: purchase this item if you want to use the print function on the i1420 or i1440 Scanner.

* Based on font size being used.





Kodak i1200/i1300 and 1220 Plus/1320 Plus Series Scanners

CAT No.	Description
1484864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: see page 43 for a guideline on how often to change consumables. These tires are for use on the feed module and separation module.
8269607 	Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
1736115 	Kodak Separation Module / for i1200/i1300 Series Scanners Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.





Kodak ScanMate i1120 Scanner

CAT No.	Description
8946097 	Kodak i1120 Pre-separation Pad Includes: 4 pre-separation pads Usage: the pre-separation pad has the potential to scan up to 20,000-50,000 pages.
1651975 	Tech Wipes Includes: 10 per package Usage: as needed when cleaning the scanner.







Kodak ScanMate i920 Scanner

CAT No.	Description
8467839 	Kodak Feed Module Assembly Includes: one feed module Usage: the feed module has the potential to scan up to 20,000 pages.
1775246 	Kodak Separation Module Assembly Includes: one separation module Usage: the separation module has the potential to scan up to 20,000 pages.





Kodak i200 Series Scanners

CAT No.	Description
1241066 	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: see page 43 for a guideline on how often to change consumables.
1200278 	Kodak Imaging Guide Set Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
8405425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a built-up of ink.
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.

* Based on font size being used.



Kodak i100 Series Scanners

CAT No.	Description
1241066 	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: see page 43 for a guideline on how often to change consumables.
1200278 	Kodak Imaging Guide Set Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.

Scan Stations

Links to *current* Scan Station models

[“Kodak Scan Station 700/710/720EX/730EX” on page 41](#)

Links to *discontinued* Scan Station models

[“Kodak Scan Station 500/520EX” on page 42](#)





[“General Consumables for ALL KODAK Scanners” on page 3](#)

Link to consumables kit guidance

[“Feed Module/Separation Roller Module Guidelines for the Scan Station 500/700, s1220 Photo Scanner, PS400 / PS800 / PS450 / PS50 / PS55 / PS80 Scanners, i2400, i2600, i2800, i2420, i2620, i2820 Scanners, and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits” on page 44](#)






Kodak Scan Station 700/710/720EX/730EX

CAT No.	Description
1484864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: see page 43 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
8269607 	Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
1736115 	Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.
1894351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).



Kodak Scan Station 500/520EX

CAT No.	Description
 <p>1484864</p>	<p>Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: see page 43 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i></p>
 <p>8269607</p>	<p>Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.</p>
 <p>1736115</p>	<p>Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.</p>




Picture Saver Scanning Systems

Link to consumables kit guidance

“Feed Module/Separation Roller Module Guidelines for the Scan Station 500/700, s1220 Photo Scanner, PS400 / PS800 / PS450 / PS50 / PS55 / PS80 Scanners, i2400, i2600, i2800, i2420, i2620, i2820 Scanners, and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits” on page 44



Kodak Picture Saver Scanning System / PS400/PS800/PS50/PS80/PS55/PS450/s1220

CAT No.	Description
1484864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: see page 43 for a guideline on how often to change consumables. These tires are for use on the feed module and separation module.
8269607 	Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
1894351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed with black background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).

Feed Module/Separation Roller Module Guidelines for the Scan Station 500/700, s1220 Photo Scanner, PS400 / PS800 / PS450 / PS50 / PS55 / PS80 Scanners, i2400, i2600, i2800, i2420, i2620, i2820 Scanners, and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 125,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.

Consumables Table 8

Description	Kodak Feed Rollers	Feeder Consumables Kit
	CAT No. 1484864	CAT No. 1241066
For use with these scanners	Scan Station 500/700 PS400/PS800/PS450/PS50/PS55/ PS80/s1220 i2400/i2600/i2800 i1200/i1300	i100, i200, i1400 Series Scanners
Feed Modules (4 tires)		1
Separation Rollers (2 tires)		1
Pre-Separation Pads	2	2
Replacement Tires	12	24
Expected scans / kit	250,000	500,000

Kodak Digital Science Scanners

All *Kodak* Digital Science scanners have been discontinued.

Links to Kodak Digital Science scanners

[“Kodak Digital Science Document Scanner 9520/9500” on page 46](#)

[“Kodak Digital Science Document Scanner 7520/7500” on page 47](#)

[“Kodak Digital Science Color Scanner 4500” on page 48](#)



[“Kodak Digital Science Color Scanner 3590C” on page 49](#)

[“Kodak Digital Science 3500, 3510, 3520 Scanners” on page 50](#)

[“General Consumables for ALL KODAK Scanners” on page 3](#)






Kodak Digital Science Document Scanner 9520/9500

CAT No.	Description
1271436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see <i>calibration target usage guidelines</i> on page 1 .
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.

* Based on font size being used.







Kodak Digital Science Document Scanner 7520/7500

CAT No.	Description
8766545 	Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners Includes: 1 per package (1 lamp required for simplex; 2 lamps required for duplex) Usage: approximately 500 hours per lamp. It is recommended that both lamps be changed at the same time.
1271436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see <i>calibration target usage guidelines on page 1</i> .
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.

*Based on font size being used.






Kodak Digital Science Color Scanner 4500

CAT No.	Description
8546012 	Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: see <i>individual items for usage</i> .
8766545 	Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners Includes: 1 per package (1 lamp required for simplex; 2 lamps required for duplex) Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.
1271436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see <i>calibration target usage guidelines on page 1</i> .
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge based on font size used. For use with the <i>Kodak Digital Science Color Scanner 4500DP only</i> .






Kodak Digital Science Color Scanner 3590C

CAT No.	Description
8546012 	Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. roller cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: see <i>individual items for usage</i> .
8766545 	Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners Includes: 1 per package (2 lamps are required)
1271436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see <i>calibration target usage guidelines on page 1</i> .



Kodak Digital Science 3500, 3510, 3520 Scanners



CAT No.	Description
8546012 	Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white imaging lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. roller cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: see <i>individual items for usage</i> .
8766545 	Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners Includes: 1 per package (1 lamp required for simplex; 2 lamps required for duplex) Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.
1271436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see <i>calibration target usage guidelines on page 1</i> .

Imagelink Scanner/Microimager

This scanner has been discontinued.



Kodak Imagelink Scanner/Microimager 990

CAT No.	Description
1271436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see <i>calibration target usage guidelines</i> on page 1 .
1355155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.

* Based on font size being used.

