

KODAK Scanners

Supplies & Consumables



Table of Contents

Supplies and Consumables for KODAK Scanners	
Consumables for ALL KODAK Scanners	4
Lamps	4
Copiscan Series Scanners	
Copiscan 8000 Series Scanners	5
KODAK Digital Science Color and Document Scanners	
KODAK Digital Science Scanners 3500 / 3510 / 3520 / 3590C / 4500	6
KODAK Digital Science Document Scanner 7500 / 7520	6
KODAK Digital Science Document Scanner 9500 / 9520	7
KODAK E-Series Scanners	
KODAK E1025 / E1035 Scanners	8
KODAK E1030 / E1040 Scanners	9
KODAK i-Series Scanners	
KODAK i100 Series Scanners	10
KODAK i200 Series Scanners	10
KODAK i600 / i700 Series Scanners	11
KODAK i800 Series Scanners	12
KODAK i1100 Series Scanners	13
KODAK i1200 / i1300 Series Scanners	13
KODAK i1400 Series Scanners	14
KODAK i1800 Series Scanners	15
KODAK i2400 / i2600 / i2800 Series Scanner	16
KODAK i2900 Scanners	16
KODAK i3000 Series Scanners	18
KODAK i4000 Series Scanners	19
KODAK i5000 Series Scanners	20
Consumable Guidelines for i-Series Scanners	23
KODAK Imagelink (Microimager) Scanners	
KODAK Imagelink Scanner/Microimager 990	25
KODAK N-Series Scanners	
KODAK N2040 / N2050 Scanners	26
Consumable Guidelines for N-Series Scanners	27
KODAK Ngenuity Series Scanners	
KODAK Ngenuity 9000 Series Scanner	28
KODAK Picture Saver Scanning Systems	
KODAK Picture Saver Scanning Systems	29
Consumable Guidelines for Picture Saver Scanning Systems	29
KODAK S-Series Scanners	
KODAK S2040 / S2050 / S2060w / S2070 / S2080w Scanners	30
KODAK S2085f / S3000 Series Scanners	31
KODAK S5000 Series Scanners	32
Consumable Guidelines for S-Series Scanners	35
KODAK Scan Station Scanners	
KODAK Scan Station 500 Series	37
KODAK Scan Station 700 Series	37
Consumable Guidelines for Scan Station Scanning Systems	38
KODAK ScanMate Scanners	
KODAK ScanMate i900 Series Scanners	39
KODAK ScanMate i1120 Scanner	39
Spectrum Series Scanners	
Spectrum Series Scanners	40
KODAK Trüper Scanners	
KODAK Trüper 3210 / 3610 Scanner	41

Supplies and Consumables for KODAK Scanners

KODAK Alaris offers supplies and consumables for KODAK Scanners. For optimal feeder performance and image quality, professional cleaning materials and consumable items are recommended, such as:

- Calibration targets
- Feeder and Separation rollers
- Imaging guides
- Ink cartridges
- Lamps
- Roller cleaning pads
- Staticide® wipes
- Transport cleaning sheets

This document contains catalog numbers and descriptions for supplies and consumables used with KODAK Scanners. The guidelines specified in this document are based on testing by KODAK Alaris.

- **Calibration Target:** Always clean your scanner before calibrating. Recommended scanner maintenance will improve the life of the Calibration Target. Variables such as paper types (e.g. carbonless paper) and dirty feed rollers, which can transfer debris on the target, etc., will reduce the life of the calibration target.
- **Imaging Guides:** Imaging guides may need to be replaced if you notice degrading image quality or if something happens to the white patch on the imaging guide.
 - Degrading image quality: (e.g. a consistent streak in most/all images that does not disappear after cleaning the imaging guides). Visually inspect the imaging guides to see if they are heavily scratched. If so, the imaging guides may need to be replaced.
 - White patch: White patches are not on all imaging guides. The i800, i1800, i700, i600, i1400, i200, i100, 4500, 3590C Scanners and 5000/7000 Series Scanners include a white patch. Visually inspect the white patch and look for signs of aging (e.g. discoloration of the patch). If the patch shows discoloration, replace the imaging guide or call Service.
- **Tires:** KODAK Scanners use replaceable tires that can feed a wide range of document types, sizes, and thicknesses. Tire life and performance will vary based on the customer's document set, frequency of cleaning the transport and tires, and following the recommended schedule for changing tires. Change the tires if there is an increase in multiple feeds or stoppages, or a decrease in feeder performance that is not resolved by following the cleaning procedures.

For more information on how to buy these products by country, please complete the contact form on our website <https://www.kodakalaris.com/contact-us>.

Note: Usage figures throughout this document are not guaranteed. Customer operating environments, document type, condition of documents being scanned, and not following the recommended cleaning and replacement procedures can cause the life of the consumables to vary.

Consumables for ALL KODAK Scanners

The consumables listed below are for use with KODAK Scanners, except where noted.

See individual scanners for additional, model specific, consumables and accessories.

CAT No.	Description
1002716 	KODAK Roller Cleaning Pads Includes: 24 pads per package Usage: Approximately one pad per day or more frequently as required.
1690783 	KODAK Transport Cleaning Sheets Includes: 50 sheets per package Usage: 2-4 sheets per 8-hour shift/machine.
8965519 	Staticide Wipes for KODAK Scanners Includes: six boxes of 24 wipes Usage: Approximately one pad per day. NOTE: Staticide Wipes are not for use with the following: •KODAK Picture Saver Scanning System: PS50/PS55/PS80/400/PS450/PS800 •KODAK s1220 Photo Scanning System
8019622 	Brilliance® Glass Cleaner for KODAK Scanners Includes: one 8oz bottle Usage: For cleaning Imaging Guides. This cleaning solution should not be applied to the scanner directly. Spray a lint free cloth then wipe down the imaging guides as needed. Do not use on Feeding or Transport Rollers.

Lamps

The following chart references the imaging lamps provided by KODAK Alaris and the scanners these consumables are used with. Lamps should be replaced every 500 hours of operation or as necessary (e.g. as reported by the scanner, repeated image calibration failures, etc.).

NOTE: Only the scanners listed below have customer replaceable lamps. Contact Service for all other scanners.



ATTENTION: White Imaging Lamp **Contains Mercury**, do not place in trash - dispose of according to local, state, or federal laws



CAT No.	Description	500	3500	3520	3590C	4500	5000	7500	7520	i800
8766545	White Imaging Lamp 	x	x	x	x	x	x	x	x	x

Copiscan Series Scanners

Copiscan 8000 Series Scanners

Note: These Scanner models are discontinued

CAT No.	Description
1569128 	Skimmer Assembly Kit Includes: one skimmer assembly Usage: Replace when necessary. Has potential to scan up to 600,000 pages.
1200278 	Roller Assembly Includes: one roller assembly Usage: Replace when necessary. Has potential to scan up to 600,000 pages.
8090300 	Separator Roller Kit Includes: one separator roller, two o-rings, two spacers Usage: Replace every 6 months when averaging 6,000 pages per day with proper daily maintenance.
1473669 	Glass Transport Includes: one per package Usage: Replace when damaged and/or scratched.
8112419 	Lamp Assembly Includes: one per package Usage: Replace every 5,000 hours.
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge.

KODAK Digital Science Color and Document Scanners

KODAK Digital Science Scanners 3500 / 3510 / 3520 / 3590C / 4500

Note: These scanners models are discontinued



CAT No.	Description
8546012 	KODAK Digital Science Maintenance Kit for 3000/4000 Series Scanners Includes: one separator roller kit, two white lamps, one package cleaning sheets (50), one package cleaning pads (24), six boxes Staticide wipes (24/box), one package calibration targets (5) (Hg) Lamp Contains Mercury 
8766545 	KODAK Digital Science White Imaging Lamps Includes: One per package (four lamps required) Usage: Approximately 500 usage per lamp. Replace all four lamps at the same time. (Hg) Lamp Contains Mercury 
1271436 	KODAK Calibration Targets Includes: five targets (12 x 12 in.) Usage: UDDS, Mechanical, and Image Calibrations. Always clean your scanner before calibrating.
1355155 	Document Printer: Black Ink Cartridges for Digital Science Model 4500 Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge.

KODAK Digital Science Document Scanner 7500 / 7520

Note: These scanner models are discontinued



CAT No.	Description
8766545 	KODAK Digital Science White Imaging Lamps Includes: One per package (four lamps required) Usage: Approximately 500 usage per lamp. Replace all four lamps at the same time. (Hg) Lamp Contains Mercury 
1271436 	KODAK Calibration Targets Includes: five targets (12 x 12 in.) Usage: UDDS, Mechanical, and Image Calibrations. Always clean your scanner before calibrating.

CAT No.	Description
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge.

KODAK Digital Science Document Scanner 9500 / 9520

Note: These scanner models and discontinued



CAT No.	Description
1271436 	KODAK Calibration Targets Includes: five targets (12 x 12 in.) Usage: UDDS, Mechanical, and Image Calibrations. Always clean your scanner before calibrating.
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge.

KODAK E-Series Scanners

KODAK E1025 / E1035 Scanners



CAT No.	Description
1025162 	KODAK Feed Roller Kit for E1025/E1035 Scanners Includes: one separation roller assembly, one pre-separation pad, one urging roller tire, two feed roller tires Expected Scans per Kit: 200,000 Usage: Tire life will vary depending upon paper types, environment and cleanliness. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.
1016062 	KODAK Stacking Deflector Accessory for E1000/S2000 Series Scanners Includes: one stacking deflector accessory, two tilt stand legs (for S2000 model scanners), instructions Usage: Improves scanning output when stacking pages of different lengths.
1029792 	KODAK Passport Flatbed Accessory Includes: flatbed accessory with cover as black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning passports or similar sized pages that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners
1015791 	KODAK Integrated A4/Legal size Flatbed Accessory Includes: flatbed accessory with cover as black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning pages up to A4/Legal size that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners

KODAK E1030 / E1040 Scanners



CAT No.	Description
1025147 	KODAK Feed Roller Kit for E1030/E1040 Scanners Includes: one separation roller assembly, one pre-separation pad, one urging roller tire, two feed roller tires Expected Scans per Kit: 200,000 Usage: Tire life will vary depending upon paper types, environment and cleanliness. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.
1016062 	KODAK Stacking Deflector Accessory for E1000/S2000 Series Scanners Includes: one stacking deflector accessory, two tilt stand legs (for S2000 model scanners), instructions Usage: Improves scanning output when stacking pages of different lengths.
1029792 	KODAK Passport Flatbed Accessory Includes: flatbed accessory with cover as black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning passports or similar sized pages that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners
1015791 	KODAK Integrated A4/Legal size Flatbed Accessory Includes: flatbed accessory with cover as black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning pages up to A4/Legal size that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners

KODAK i-Series Scanners

KODAK i100 Series Scanners

Note: These scanner models are discontinued



CAT No.	Description
1241066 	KODAK Feeder Kit for i100/i200/i1400 Series Scanners Includes: one feeder module, one separation module, two pre-separation pads, 24 replacement tires Expected Scans per Kit: 500,000 Usage: See page 23 for guidelines on how often to change consumables.
1200278 	KODAK Imaging Guides Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.

KODAK i200 Series Scanners

Note: These scanner models are discontinued



CAT No.	Description
1241066 	KODAK Feeder Kit for i100/i200/i1400 Series Scanners Includes: one feeder module, one separation module, two pre-separation pads, 24 replacement tires Expected Scans per Kit: 500,000 Usage: See page 23 for guidelines on how often to change consumables.
1200278 	KODAK Imaging Guides Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
8405425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: Catch and absorb excess ink. Replace when there is a build up of ink
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge.

KODAK i600 / i700 Series Scanners

Note: These scanner models are discontinued



CAT No.	Description
1084755 	KODAK Feeder Consumables Kit for i600/i700/i1800 Series Scanners Includes: one feeder module, one separation roller, 18 pre-separation pads, 50 replacement tires Expected Scans per Kit: 3,500,000 Usage: See page 23 for guidelines on how often to change consumables.
8426157 	KODAK Extra Large Feeder Consumables Kit for i600/i700/i1800 Series Scanners Includes: Five feeder modules, Five separation rollers, 76 pre-separation pads, 200 replacement tires Expected Scans per Kit: 17,500,000 Usage: See page 23 for guidelines on how often to change consumables.
1343680 	KODAK Extra-Extra Large Feeder Consumables Kit for i600/i700/i1800 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 38,500,000 Usage: See page 23 for guidelines on how often to change consumables.
1976703 	KODAK Imaging Guide Set for i600/i700/i1800 Series Scanners Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
8014755 	Black Background for i600/i700/i1800 Series Scanners Includes: two per package Usage: Replace when damaged and/or scratched.
1271436 	KODAK Calibration Targets Includes: five targets (12 x 12 in.) Usage: UDDS, Mechanical, and Image Calibrations. Always clean your scanner before calibrating.
8405425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: Catch and absorb excess ink. Replace when there is a build up of ink
1355155 	Document Printer: Black Ink Cartridges for i600 Series Scanners Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge. NOTE: See below for Enhanced Printers
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers

CAT No.	Description
1133842 	Enhanced Printer: Ink Cartridge Carrier for i600/i700/i1400/i4000 Series Scanners Includes: one cartridge carrier Usage: Replace if original carrier is lost or damaged.

KODAK i800 Series Scanners

Note: These scanner models are discontinued



CAT No.	Description
1564418 	KODAK Imaging Guide Set for i800 Series Scanners Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
8766545 	KODAK Digital Science White Imaging Lamps Includes: One per package (four lamps required) Usage: Approximately 500 usage per lamp. Replace all four lamps at the same time.  Lamp Contains Mercury 
1491869 	KODAK Calibration Targets Includes: 50 targets (11 x 12 in.) Usage: UDDS, Mechanical, and Image Calibrations. Always clean your scanner before calibrating.
8014755 	Black Background i600/i700/i1800 Series Scanners Includes: two per package Usage: Replace when damaged and/or scratched.
1401728 	Document Printer: Ink Blotters Includes: 60 blotters Catch and absorb excess ink. Replace when there is a build up of ink
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge. NOTE: See below for Enhanced Printers
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers

KODAK i1100 Series Scanners

Includes Scanner Models: i1150 | i1150WN | i1180 | i1190 | i1190E | i1190WN

Note: These scanner models are discontinued



CAT No.	Description
1756360 	KODAK Scanner Consumable Kit for i1100 Series Scanners Includes: one separation roller, one pre-separation pad, 3 feed rollers Usage: The kit has the potential to scan up to 200,000 pages.
1316264 	KODAK NCR Paper Feeding Consumable Kit for i1100 Series Scanners Includes: one separation roller, one pre-separation pad, 3 feed rollers Usage: The kit has the potential to scan up to 200,000 pages.
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm). Note: Not for use with i1150WN/i1190WN Scanners

KODAK i1200 / i1300 Series Scanners

Note: These scanner models are discontinued



CAT No.	Description
1484864 	KODAK Feed Rollers and Separation Pads Includes: 12 feed rollers and two separation pads Expected Scans per Kit: 250,000 Usage: See page 23 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
8269607 	KODAK Feed Module Includes: one feed module Usage: Replace as necessary. Note: The feed module has the potential to scan up to 500,000 pages.
1736115 	KODAK Separation Module Includes: one separation module Usage: Replace as necessary. Note: The separation module has the potential to scan up to 250,000 pages.

KODAK i1400 Series Scanners

Note: These scanner models are discontinued



CAT No.	Description
1241066 	KODAK Feeder Kit for i100/i200/i1400 Series Scanners Includes: one feeder module, one separation module, two pre-separation pads, 24 replacement tires Expected Scans per Kit: 500,000 Usage: See page 23 for guidelines on how often to change consumables.
1978253 	KODAK Imaging Guides for i1400 Series Scanners Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
8405425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: Catch and absorb excess ink. Replace when there is a build up of ink
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge. NOTE: See below for Enhanced Printers
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers
1133842 	Enhanced Printer: Ink Cartridge Carrier for i600/i700/i1400/i4000 Series Scanners Includes: one cartridge carrier Usage: Add the print function on the i1420 or i1440 Scanners

KODAK i1800 Series Scanners

Note: These Scanner models are discontinued



CAT No.	Description
1084755 	KODAK Feeder Consumables Kit for i600/i700/i1800 Series Scanners Includes: one feeder module, one separation roller, 18 pre-separation pads, 50 replacement tires Expected Scans per Kit: 3,500,000 Usage: See page 23 for guidelines on how often to change consumables.
8426157	KODAK Extra Large Feeder Consumables Kit for i600/i700/i1800 Series Scanners Includes: Five feeder modules, Five separation rollers, 76 pre-separation pads, 200 replacement tires Expected Scans per Kit: 17,500,000 Usage: See page 23 for guidelines on how often to change consumables.
1343680	KODAK Extra-Extra Large Feeder Consumables Kit for i600/i700/i1800 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 38,500,000 Usage: See page 23 for guidelines on how often to change consumables.
1976703 	KODAK Imaging Guide Set for i600/i700/i1800 Series Scanners Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
8014755 	Black Background for i600/i700/i1800 Series Scanners Includes: two per package Usage: Replace when damaged and/or scratched.
1271436 	KODAK Calibration Targets Includes: five targets (12 x 12 in.) Usage: UDDS, Mechanical, and Image Calibrations. Always clean your scanner before calibrating.
1257633 	KODAK Printer: Ink Blotters (Front) for i1800 Series Includes: 90 pads (three sets of 30) Usage: Front side use; Replace when there is a build up of ink.
1141472 	KODAK Printer: Ink Blotters (Rear) for i1800 Series Includes: 60 blotters Usage: Rear side use; Replace when there is a build up of ink.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers

CAT No.	Description
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: one cartridge carrier and ribbon cable Usage: Replace if original carrier is lost or damaged.

KODAK i2400 / i2600 / i2800 Series Scanner

Includes Scanner Models: i2400 | i2420 | i2600 | i2620 | i2800

Note: These Scanner models are discontinued




CAT No.	Description
1484864 	KODAK Feed Rollers and Separation Pads Includes: 12 feed rollers and two separation pads Expected Scans per Kit: 250,000 Usage: See page 23 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
8269607 	KODAK Feed Module Includes: one feed module Usage: Replace as necessary. Note: The feed module has the potential to scan up to 500,000 pages.
1736115 	KODAK Separation Module Includes: one separation module Usage: Replace as necessary. Note: The separation module has the potential to scan up to 250,000 pages.
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).

KODAK i2900 Scanners

Note: These Scanners are discontinued



CAT No.	Description
1428101 	KODAK Feeder Consumables Kit for i2900/i3000/S2085f/S3000 Series Scanners Includes: one feeder module, four feed module tires, two separation rollers, four separation roller tires, 4 pre-separation pads (front transport roller not included) Expected Scans per Kit: 1,000,000 Usage: See page 23 for guidelines on how often to change consumables.

CAT No.	Description
8009458	KODAK Extra Large Feeder Consumables Kit for i2900/i3000/S2085f/S3000 Series Scanners Includes: Three feeder module, six feed module urging tires, six feed module driver tires, six separation rollers, 12 separation roller tires, 12 pre-separation pads (front transport roller not included) Expected Scans per Kit: 3,000,000 Usage: See page 23 for guidelines on how often to change consumables.
5K3045 	Front Transport roller for i2900/i3000 Series Scanners To order this part in the US, call 1-800-431-7278. In other countries, please call your regional contact for consumables
1364421 	Black Background for i2900/i3000 Series Scanners Includes: two background strips Usage: Replace when damaged and/or scratched
1763325 	Flipped Background for i2900 Scanners Includes: five transparent carrier sleeves Usage: For scanning large (folded) pages, fragile pages, or small items.
1703594 	Rear Exit Tray for i2900/i3000/S2085f/S3000 Series Scanners Includes: metal tray Usage: For collecting scanned documents sent to the rear scanner exit.
1324391 	Printer Accessory for i2900/i3000/S2085f/S3000 Series Scanners Includes: printer accessory, installation hardware, one black ink cartridge, installation instructions. Usage: Allows printing on a document after it is scanned.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: one cartridge carrier and ribbon cable Usage: Replace if original carrier is lost or damaged.
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).

KODAK i3000 Series Scanners

Includes Scanner Models: i3200 | i3250 | i3300 | i3400 | i3450 | i3500

Note: These Scanner models are discontinued



CAT No.	Description
1428101 	KODAK Feeder Consumables Kit for i2900/i3000/S2085f/S3000 Series Scanners Includes: one feeder module, four feed module tires, two separation rollers, four separation roller tires, 4 pre-separation pads (front transport roller not included) Expected Scans per Kit: 1,000,000 Usage: See page 23 for guidelines on how often to change consumables.
8009458	KODAK Extra Large Feeder Consumables Kit for i2900/i3000/S2085f/S3000 Series Scanners Includes: Three feeder module, six feed module urging tires, six feed module driver tires, six separation rollers, 12 separation roller tires, 12 pre-separation pads (front transport roller not included) Expected Scans per Kit: 3,000,000 Usage: See page 23 for guidelines on how often to change consumables.
5K3045 	Front Transport roller for i2900/i3000 Series Scanners To order this part in the US, call 1-800-431-7278. In other countries, please call your regional contact for consumables
1364421 	Black Background for i2900/i3000 Series Scanners Includes: two background strips Usage: Replace when damaged and/or scratched
1703594 	Rear Exit Tray for i2900/i3000/S2085f/S3000 Series Scanners Includes: metal tray Usage: For collecting scanned documents sent to the rear scanner exit.
1324391 	Printer Accessory for i2900/i3000/S2085f/S3000 Series Scanners Includes: printer accessory, installation hardware, one black ink cartridge, installation instructions. Usage: Allows printing on a document after it is scanned.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: one cartridge carrier and ribbon cable Usage: Replace if original carrier is lost or damaged.

CAT No.	Description
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).

KODAK i4000 Series Scanners

Scanner Models: i4200 Plus (*discontinued*) | i4250 | i4600 Plus (*discontinued*) | i4650 | i4850



CAT No.	Description
8327538 	KODAK Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: one feeder module, one separation roller, 18 pre-separation pads, 50 replacement tires Expected Scans per Kit: 3,500,000 Usage: See page 23 for guidelines on how often to change consumables.
8387938	KODAK Extra Large Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: Five feeder modules, Five separation rollers, 76 pre-separation pads, 200 replacement tires Expected Scans per Kit: 17,500,000 Usage: See page 23 for guidelines on how often to change consumables.
1462415	KODAK Extra-Extra Large Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 38,500,000 Usage: See page 23 for guidelines on how often to change consumables.
8445280 	KODAK Feeder Kit for Ultra-Light Weight Paper for i4000/i5000/S5000 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 2,400,000 Usage: See page 23 for guidelines on how often to change consumables.
8714438 	KODAK Imaging Guide Set for i4000/i5000/S5000 Series Scanners Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
8000853 	i4000/i5000: White Background (flippable upper/lower) for i4000/i5000 Series Scanners Includes: one upper and one lower Usage: Replace when damaged and/or scratched.
1612605 	i4x50/i5x50: White Background (flippable upper/lower) for i4x50/i5x50 Series Scanners Includes: one upper and one lower Usage: Replace when damaged and/or scratched.


CAT No.	Description
8096943 	KODAK Enhanced Printer Accessory for i4200/i4600 Scanners Includes: one upper imaging guide, one flippable background accessory, one enhanced printer carrier, one enhanced black ink cartridge, four ink blotters Usage: Allows printing on a document after it is scanned.
8405425 	KODAK Enhanced Printer Accessory for i4250/i4650/i4850 Scanners Includes: one upper imaging guide, one flippable background accessory, one enhanced printer carrier, one enhanced black ink cartridge, four ink blotters Usage: Allows printing on a document after it is scanned.
8405425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: Catch and absorb excess ink. Replace when there is a build up of ink.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers
1133842 	Enhanced Printer: Ink Cartridge Carrier for i600/i700/i1400/i4000 Series Scanners Includes: one cartridge carrier Usage: Replace if original carrier is lost or damaged.
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).


KODAK i5000 Series Scanners

Scanner Models: i5200 (*discontinued*) | i5200V (*discontinued*) | i5250 | i5250V (*discontinued*) | i5600 (*discontinued*) | i5600V (*discontinued*) | i5650S | i5650V (*discontinued*) | i5800 (*discontinued*) | i5850S



CAT No.	Description
8327538 	KODAK Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: one feeder module, one separation roller, 18 pre-separation pads, 50 replacement tires. Expected Scans per Kit: 3,500,000 Usage: See page 23 for guidelines on how often to change consumables.
8387938	KODAK Extra Large Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: Five feeder modules, Five separation rollers, 76 pre-separation pads, 200 replacement tires Expected Scans per Kit: 17,500,000 Usage: See page 23 for guidelines on how often to change consumables.

CAT No.	Description
1462415	KODAK Extra-Extra Large Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 38,500,000 Usage: See page 23 for guidelines on how often to change consumables.
8445280 	KODAK Feeder Kit for Ultra-Light Weight Paper for i4000/i5000/S5000 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 2,400,000 Usage: See page 23 for guidelines on how often to change consumables.
8714438 	KODAK Imaging Guide Set for i4000/i5000/S5000 Series Scanners Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
8000853 	i4000/i5000: White Background (flippable upper/lower) for i4000/i5000 Series Scanners Includes: one upper and one lower Usage: Replace when damaged and/or scratched.
1612605 	i4x50/i5x50: White Background (flippable upper/lower) for i4x50/i5x50 Series Scanners Includes: one upper and one lower Usage: Replace when damaged and/or scratched.
1213743 	KODAK Enhanced Printer Accessory for i5x50 and i5x50V Scanners (Front and Rear Printer) Includes: one upper imaging guide, one flippable background accessory, one enhanced printer carrier, one enhanced black ink cartridge, four ink blotters Usage: Allows printing on a document after it is scanned.
1408756 	KODAK Enhanced Printer Accessory for i5000 and i5000V Scanners (Front Printer) Includes: one upper imaging guide, one flippable background accessory, one enhanced printer carrier, one enhanced black ink cartridge, four ink blotters Usage: Allows printing on a document after it is scanned.
8014755 	Black Background for i600/i700/i1800 Series Scanners Includes: two per package Usage: Used as a transport spacer in i5000/i5x50 Series Scanners. Replace when damaged and/or scratched.
1257633 	KODAK Printer: Ink Blotters (front side) Includes: 90 pads (three sets of 30) Usage: Catch and absorb excess ink. Replace when there is a build up of ink.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers

CAT No.	Description
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: one cartridge carrier and ribbon cable Usage: Replace if original carrier is lost or damaged.
1694256 	Manual Feed Shelf for i5800/i5850 Scanners Includes: one feed shelf, two detachable side guides, installation and use instructions Usage: Provides a flat surface to aid in manual document feeding.
1673953 	Manual Feed Shelf for i5200/i5250/i5600/i5650 Scanners Includes: one feed shelf, two detachable side guides, installation and use instructions Usage: Provides a flat surface to aid in manual document feeding.
1650621 	KODAK Rear Exit Tray Accessory for i5250/i5650 Scanners Includes: one tray assembly with locking know, 2 side guides Usage: For collecting scanned documents sent to the rear scanner exit. Accommodates document sizes up to 14 in. (35.6 cm).
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).

Consumable Guidelines for i-Series Scanners

Follow the guidelines below for how often to change the feed module, separation roller assembly, pre-separation pad, and tires for your scanner model

i100 / i200 / i1200 / i1300 / i1400 Series Scanners and i2400 / i2420 / i2600 / i2620 / i2800 / i2820 Scanner Models

CAT No. 1241066 / 1484864

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 125,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.

Description	Feeder Consumables Kit	KODAK Feed Rollers
	Quantity in Kit CAT No. 1241066	Quantity in Kit CAT No. 1484864
Feed Module (4 tires)	1	N/A
Separation Rollers (2 tires)	1	N/A
Pre-Separation Pads	2	2
Replacement Tires	12	24
Expected Scans / kit	250,000	500,000

i600 / i700 / i1800 / i4000 / i4x50 / i5000 / i5x50 Series Scanners

CAT No. 1084755 / 8327538, 8426157 / 8387938, 1343680 / 1462415, 8445280

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 7th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller (unless using the KODAK Feeder Kit for Ultra-Lightweight Paper).

Description	Feeder Consumables Kit	Extra Large Feeder Consumables Kit	Extra Extra Large Feeder Consumables Kit	Feeder Kit for Ultra-lightweight Paper
	Quantity in Kit CAT No. 1084755 / 8327538	Quantity in Kit CAT No. 8426157 / 8387938	Quantity in Kit CAT No. 1343680 / 1462415	Quantity in Kit CAT No. 8445280
Feed Module (4 tires)	1	5	10	1
Separation Rollers (2 tires)	1	5	10	1
Pre-Separation Pads	18	76	154	4
Replacement Tires	50	200	400	N/A
Replacement Tires for Feed Module	N/A	12	250,000	14
Replacement Tires for Separation Roller	N/A	12	250,000	10
Expected Scans / kit	3,500,000	17,500,000	38,500,000	2,400,000

i2900 / i3000 Series Scanners

CAT No 1428101, 8009458

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** It is recommended that you install a new feed module and separation roller approximately every 2nd tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

i2900 / i3000 Consumables Table

Feeder Consumables Kit	Quantity in Kit CAT No. 1428101	Quantity in Kit CAT No. 8009458	Replace every
Feed Module	1	3	1,000,000
Feed Tires	2	6	500,000
Urging Roller Tires	2	6	500,000
Separation Roller Module	2	6	500,000
Separation Tires	4	12	250,000
Pre-Separation Pads	4	12	250,000

KODAK Imagelink (Microimager) Scanners

KODAK Imagelink Scanner/Microimager 990

Note: These Scanners are discontinued



CAT No.	Description
1271436 	KODAK Calibration Targets Includes: five targets (12 x 12 in.) Usage: UDDS, Mechanical, and Image Calibrations. Always clean your scanner before calibrating.
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge.

KODAK N-Series Scanners

KODAK N2040 / N2050 Scanners



CAT No.	Description
8021560 	KODAK Feed Roller Kit for N2040/N2050 Scanners Includes: one separation roller assembly, three pre-separation pads, six separation roller tires, 3 urging roller tires, 3 feed roller assemblies Expected Scans per Kit: 600,000 Usage: See page 27 for guidelines on how often to change consumables.
1015817 	KODAK Carrier Sleeves Includes: five transparent carrier sleeves Usage: For scanning large (folded) pages, fragile pages, or small items.
1029792 	KODAK Passport Flatbed Accessory Includes: flatbed accessory with cover as black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning passports or similar sized pages that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners
1015791 	KODAK Integrated A4/Legal size Flatbed Accessory Includes: A4/Legal size flatbed with black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning pages up to A4/Legal size that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners

Consumable Guidelines for N-Series Scanners

The following table provides a guideline of how often to change the feed roller assembly, separation roller assembly, pre-separation pad, and tires for N2040 / N2050 Scanner Models.

CAT No. 8021560

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 3rd tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.

N-Series Consumables Table

Feed Roller Kit CAT No. 8021560	Quantity in Kit	Replace every
Feed Roller Assembly	3	200,000
Pre-Separation Pad	3	200,000
Urging Roller Tires	3	200,000
Separation Roller Assembly (includes a set of 2 tires)	1	Roller = 200,000 Tire Set = 150,000
Separation Roller spare tires	6	150,000

KODAK Ngenuity Series Scanners

KODAK Ngenuity 9000 Series Scanner

Note: These Scanner models are discontinued



CAT No.	Description
1829779 	Small Roller Kit with Feeder Pre-Separation Pad Includes: one separation roller, 18 pre-separation pads, two feed roller assemblies, 50 roller tires Expected Scans per Kit: 3,500,000 Usage: Replace as necessary.
1775246 	Small Roller Kit <i>Note: For use with original feeders without a pre-separation pad.</i> Includes: four separator spacers, two separator rollers, eight pick/driver tires Expected Scans per Kit: 3,500,000 Usage: Replace as necessary.
1620640 	Imaging Guide Assembly Includes: one imaging guide assembly Usage: Replace when damaged and/or scratched.
1998103 	Camera Calibration Kit Includes: targets Usage: Scanner calibrations. Always clean your scanner before calibrating.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers

KODAK Picture Saver Scanning Systems

KODAK Picture Saver Scanning Systems

Included Scanner Models: PS50 | PS55 | PS80 | PS400 | PS450

Note: These Scanner models are discontinued

CAT No.	Description
1484864 	KODAK Feed Rollers and Separation Pads Includes: 12 feed rollers and two separation pads Expected Scans per Kit: 3,500,000 Usage: See page 29 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
8269607 	KODAK Feed Module Includes: one feed module Usage: Replace as necessary. Note: The feed module has the potential to scan up to 500,000 pages.
1736115 	KODAK Separation Module Includes: one separation module Usage: Replace as necessary. Note: The separation module has the potential to scan up to 250,000 pages.

Consumable Guidelines for Picture Saver Scanning Systems

Follow the guidelines below for how often to change the feed module, separation roller assembly, pre-separation pad, and tires for your scanner model

PS50 / PS55 / PS80 / PS400 / PS450 Scanner Models

CAT No. 1484864

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 125,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.

KODAK S-Series Scanners

KODAK S2040 / S2050 / S2060w / S2070 / S2080w Scanners



CAT No.	Description
1025147 	S2040: KODAK Feed Roller Kit for S2040 Scanners Includes: one separation roller assembly, one pre-separation pad, one urging roller tires, one feed roller assemblies Expected Scans per Kit: 200,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
1015866 	KODAK Feed Roller Kit for S2050/S2070/S2060w/S2080w Scanners Includes: one separation roller assembly, three pre-separation pads, six separation roller tires, 3 urging roller tires, 3 feed roller assemblies Expected Scans per Kit: 600,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
8009227 	KODAK Consumable Kit for Glossy Paper for S2000 Series Scanners Includes: one separation roller assembly, one pre-separation pad, two separation roller tires, Expected Scans per Kit: 200,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
1016062 	KODAK Stacking Deflector Accessory for E1000/S2000 Series Scanners Includes: one stacking deflector accessory, two tilt stand legs (for S2000 model scanners), instructions Usage: Improves scanning output when stacking pages of different lengths.
1015817 	KODAK Carrier Sleeves Includes: five transparent carrier sleeves Usage: For scanning large (folded) pages, fragile pages, or small items.
1029792 	KODAK Passport Flatbed Accessory Includes: flatbed accessory with cover as black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning passports or similar sized pages that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners

CAT No.	Description
1015791 	KODAK Integrated A4/Legal size Flatbed Accessory Includes: flatbed accessory with cover as black background, attached 1 ft (0.3 m) power pig tail, one 1 ft (0.3 m) USB cables, one 4 ft (1.2 m) USB cable Usage: For scanning pages up to A4/Legal size that cannot be fed through the scanner. NOTE: For use with E1000/N2000/S2000 model scanners
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).

KODAK S2085f / S3000 Series Scanners

Includes Scanner Models: S2085f | S3060 | S3060f | S3100 | S3100f | S3120Max | S3140Max



CAT No.	Description
1428101 	KODAK Feeder Consumables Kit for i2900/i3000/S2085f/S3000 Series Scanners Includes: one feeder module, four feed module tires, two separation rollers, four separation roller tires, 4 pre-separation pads (front transport roller not included) Expected Scans per Kit: 1,000,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
8009458	KODAK Extra Large Feeder Consumables Kit for i2900/i3000/S2085f/S3000 Series Scanners Includes: Three feeder module, six feed module urging tires, six feed module driver tires, six separation rollers, 12 separation roller tires, 12 pre-separation pads (front transport roller not included) Expected Scans per Kit: 3,000,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
1703594 	Rear Exit Tray for i2900/i3000/S2085f/S3000 Series Scanners Includes: metal tray Usage: For collecting scanned documents sent to the rear scanner exit.
1324391 	Printer Accessory for i2900/i3000/S2085f/S3000 Series Scanners Includes: printer accessory, installation hardware, one black ink cartridge, installation instructions. Usage: Allows printing on a document after it is scanned.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers


CAT No.	Description
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: one cartridge carrier and ribbon cable Usage: Replace if original carrier is lost or damaged.
1015817 	KODAK Carrier Sleeves Includes: five transparent carrier sleeves Usage: For scanning large (folded) pages, fragile pages, or small items.
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).
8002446	Black Flatbed Background for S2085f/S3000f Series Scanner Includes: one replacement flatbed background Usage: Replace when damaged and/or scratched

KODAK S5000 Series Scanners

Includes Scanner Models: S5160 | S5180 | S5210



CAT No.	Description
8327538 	KODAK Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: one feeder module, one separation roller, 18 pre-separation pads, 50 replacement tires Expected Scans per Kit: 3,500,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
8387938	KODAK Extra Large Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: Five feeder modules, Five separation rollers, 76 pre-separation pads, 200 replacement tires Expected Scans per Kit: 17,500,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
1462415	KODAK Extra-Extra Large Feeder Consumables Kit for i4000/i5000/S5000 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 38,500,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.

CAT No.	Description
8445280 	KODAK Feeder Kit for Ultra-Light Weight Paper for i4000/i5000 Series Scanners Includes: 10 feeder modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Expected Scans per Kit: 2,400,000 Usage: See page 35 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module.
8714438 	KODAK Imaging Guide Set for i4000/i5000/S5000 Series Scanners Includes: one upper and one lower imaging guide Usage: Replace when damaged and/or scratched.
1612605 	i4x50/i5x50: Flippable White Background (upper/lower) for i4x50/i5x50 Series Scanners Includes: one upper and one lower Usage: Replace when damaged and/or scratched.
8019234 	Manual Feed Shelf for S5210 Scanners Includes: one feed shelf, two detachable side guides, installation and use instructions Usage: Provides a flat surface to aid in manual document feeding.
1673953 	Manual Feed Shelf for S5160/S5180 Scanners Includes: one feed shelf, two detachable side guides, installation and use instructions Usage: Provides a flat surface to aid in manual document feeding.
1650621 	KODAK Rear Exit Tray Accessory for S5160/S5180 Scanners Includes: one tray assembly with locking knob, 2 side guides Usage: For collecting scanned documents sent to the rear scanner exit. Accommodates document sizes up to 14 in. (35.6 cm).
8019242 	KODAK Enhanced Printer Accessory for S5000 Scanners Includes: one upper imaging guide, one upper flippable background accessory, Two enhanced printer carriers, one enhanced black ink cartridge, four ink blotters Usage: Allows printing on a document after it is scanned.
1257633 	KODAK Printer: Ink Blotters (front side) Includes: 90 pads (three sets of 30) Usage: Catch and absorb excess ink. Replace when there is a build up of ink.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge. NOTE: See above for Document Printers
1763218 	Enhanced Printer: Ink Cartridge Carrier Includes: one cartridge carrier and ribbon cable Usage: Replace if original carrier is lost or damaged.

CAT No.	Description
1015817 	KODAK Carrier Sleeves Includes: five transparent carrier sleeves Usage: For scanning large (folded) pages, fragile pages, or small items.
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).

Consumable Guidelines for S-Series Scanners

Follow the guidelines below for how often to change the consumable parts for your scanner model

S2050 / S2060w / S7070 / S2080w Scanners

CAT No. 1015866

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 200,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.
- it is recommended that you install a new feed roller assembly and separation roller assembly at the same, approximately every 3rd tire change. Install the new pre-separation pad and urging roller tire when you change the feed roller and separation roller assemblies.

S2050 / S2060w / S2070 / S2080w Consumables Table

Feed Roller Kit CAT No. 1015866	Quantity in Kit	Replace every
Feed Roller Assembly	3	200,000
Pre-Separation Pad	3	200,000
Urging Roller Tires	3	200,000
Separation Roller Assembly <i>(includes a set of 2 tires)</i>	1	Roller = 200,000 Tire Set = 150,000
Separation Roller spare tires	6	150,000

S2040 Scanners

CAT No. 1025147

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 200,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.
- it is recommended that you install a new feed roller assembly and separation roller assembly at the same, approximately every 3rd tire change. Install the new pre-separation pad and urging roller tire when you change the feed roller and separation roller assemblies.

S2000 Consumables for Glossy Paper

S2000 Glossy Paper Consumables Table

S2000 Consumables for Glossy Paper CAT No. 8009227	Quantity in Kit	Replace every
Pre-Separation Pad	1	200,000
Separation Roller Assembly	1	200,000
Separation Roller spare tires	2	100,000

S2085f / S3000 Series Scanners

CAT No. 1428101, 8009458

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** It is recommended that you install a new feed module and separation roller approximately every 2nd tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.

S2085f / S3000 Consumables Table

Feeder Consumables Kit	Quantity in Kit CAT No. 1428101	Quantity in Kit CAT No 8009458	Replace every
Feed Module	1	3	1,000,000
Feed Tires	2	6	500,000
Urging Roller Tires	2	6	500,000
Separation Roller Module	2	6	500,000
Separation Tires	4	12	250,000
Pre-Separation Pads	4	12	250,000

KODAK Scan Station Scanners

KODAK Scan Station 500 Series

Includes Scanner Models: 500 | 520EX

Note: These Scanner models are discontinued



CAT No.	Description
1484864 	KODAK Feed Rollers and Separation Pads Includes: 12 feed rollers and two separation pads Expected Scans per Kit: 250,000 Usage: See page 38 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module. Rollers are for use on the feed module and separation module.
8269607 	KODAK Feed Module Includes: one feed module Usage: Replace as necessary. Note: The feed module has the potential to scan up to 500,000 pages.
1736115 	KODAK Separation Module Includes: one separation module Usage: Replace as necessary. Note: The separation module has the potential to scan up to 250,000 pages.

KODAK Scan Station 700 Series

Includes Scanner Models: 710 (*discontinued*) | 730EX (*discontinued*) | 730EXPlus



CAT No.	Description
1484864 	KODAK Feed Rollers and Separation Pads Includes: 12 feed rollers and two separation pads Expected Scans per Kit: 250,000 Usage: See page 38 for guidelines on how often to change consumables. Rollers are for use on the feed module and separation module. Rollers are for use on the feed module and separation module.

CAT No.	Description
8269607 	KODAK Feed Module Includes: one feed module Usage: Replace as necessary. Note: The feed module has the potential to scan up to 500,000 pages.
1736115 	KODAK Separation Module Includes: one separation module Usage: Replace as necessary. Note: The separation module has the potential to scan up to 250,000 pages.
1894351 	KODAK A3 Flatbed Accessory Includes: one A3 Flatbed with black background, 2-meter (6-ft) USB cable, power supply Usage: For scanning exception documents. Accommodates document sizes up to 12 x 18 in. (304.8 x 457.2 mm).

Consumable Guidelines for Scan Station Scanning Systems

Follow the guidelines below for how often to change the feed module, separation roller assembly, pre-separation pad, and tires for your scanner model

Scan Station 500 / 700 Models

CAT No. 1484864

- **Feed roller kit and separation roller tires:** Tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 125,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.

KODAK ScanMate Scanners

KODAK ScanMate i900 Series Scanners

Includes Scanner Models: i920 | i940
Note: These Scanner models are discontinued



CAT No.	Description
8467839 	KODAK Feed Module Assembly Includes: one feed module Usage: Replace as necessary. Note: The feeder module has the potential to scan up to 20,000 pages.
1775246 	KODAK Separation Module Assembly Includes: one separation module Usage: Replace as necessary. Note: The separation module has the potential to scan up to 20,000 pages.

KODAK ScanMate i1120 Scanner

Note: This Scanner model is discontinued



CAT No.	Description
8946097 	KODAK Pre-separation Pads for ScanMate i1120 Includes: four pre-separation pads Usage: Replace as necessary. The pre-separation pad has the potential to scan 20,000- 50,000 pages.
1651975	Tech Wipes Includes: 10 per package Usage: As needed when cleaning the scanner.

Spectrum Series Scanners

Spectrum Series Scanners

Note: These Scanner models are discontinued




CAT No.	Description
1569128 	Skimmer Assembly Kit Includes: one skimmer assembly Usage: Replace when necessary. Has potential to scan up to 600,000 pages.
8704801 	Roller Assembly Includes: one roller assembly Usage: Replace when necessary. Has potential to scan up to 600,000 pages.
8090300 	Separator Roller Kit Includes: one separator roller, two o-rings, two spacers Usage: Replace every 6 months when averaging 6,000 pages per day with proper daily maintenance.
1473669 	Glass Transport Includes: one per package Usage: Replace when damaged and/or scratched.
1289610 	Lamp Assembly Includes: one per package Usage: Replace every 5,000 hours.
1355155 	Document Printer: Black Ink Cartridges Includes: 10 cartridges Usage: Approximately 350,000 to 450,000 characters per ink cartridge.
1651975	Tech Wipes Includes: 10 per package Usage: As needed when cleaning the scanner.

KODAK Trüper Scanners

KODAK Trüper 3210 / 3610 Scanner

Note: These Scanner models are discontinued

CAT No.	Description
8460321 	Roller Exchange Kit Includes: one feed roller module, one separation roller module Usage: Replace as necessary. Note: This kit has the potential to scan up to 300,000 pages.
1535376 	KODAK Feed Module for i1200/i1300 Series Scanners Includes: one feed module Usage: Replace as necessary. Note: The separation module has the potential to scan up to 20,000 pages.
8183386 	Enhanced Printer: Black Ink Cartridges Includes: Nine cartridges (three packs of three) Usage: Approximately 1,200,000 to 1,700,000 characters per ink cartridge.
1244847 	Memory Upgrade Kit (512 MB) Includes: one 512 MB memory module Usage: For scanning jobs that may require additional memory depending on variables, such as document size and desired image resolution.